

# LED LITE SYSTEM

## MULTI-OUTPUT, WALL-MOUNTED LIGHT





A fitting suitable for every kind of installation in both interiors and exteriors.

Ideal to light façades, intrados, display windows, statues, green areas.

Light sources: two 3W leds (white or blue); available also in red and amber (2x1W) and green (2x3W).

Available in three light beam configurations: blade, double blade and wall washer.

The wall washer version also carries out the function of spot emission.




Die-cast aluminium system, painted with colour RAL9006.

LedLite 1 fixtures are provided with a 1 m long power supply cable.

Remote power supply (to be ordered separately).

# LED LITE 1





**Accessories**

**06LL905AB0**  
Max 2 LedLite (white, blue & green)

**06LL906AB0**  
Max 4 LedLite (white, blue & green)

**06LL907AB0**  
Max 5 LedLite (red & amber)



Picket for ground installation

**06LL903AB0**

# LED LITE 1



Cl. III IP67



max 0.35 Kg

## Blade

<b>06LL101AB1</b>	LED 2 x 3W	700 mA	2 x 40 lm	
<b>06LL101AB2</b>	LED 2 x 3W	700 mA	2 x 80 lm	
<b>06LL101AB3</b>	LED 2 x 3W	700 mA	2 x 30 lm	





*Ref. 2 x 40 lm*

H (m)	Ø (m)	lux
5	0.35	35
4	0.28	55
3	0.21	97
2	0.14	219
1	0.07	876

## Double-blades

<b>06LL102AB1</b>	LED 2 x 3W	700 mA	2 x 40 lm	
<b>06LL102AB2</b>	LED 2 x 3W	700 mA	2 x 80 lm	
<b>06LL102AB3</b>	LED 2 x 3W	700 mA	2 x 30 lm	





*Ref. 2 x 40 lm*

H (m)	Ø (m)	lux
5	2.05	21
4	1.64	33
3	1.23	58
2	0.82	131
1	0.41	524

## Wall washer

<b>06LL103AB1</b>	LED 2 x 3W	700 mA	2 x 40 lm	
<b>06LL103AB2</b>	LED 2 x 3W	700 mA	2 x 80 lm	
<b>06LL103AB3</b>	LED 2 x 3W	700 mA	2 x 30 lm	



*Ref. 2 x 40 lm*

H (m)	Ø (m)	lux
5	1.71	8
4	1.37	12
3	1.03	21
2	0.68	47
1	0.34	189

Other Available led colours

amber		LED 2 x 1W	350 mA	2 x 42 lm
green		LED 2 x 3W	700 mA	2 x 80 lm
red		LED 2 x 1W	350 mA	2 x 44 lm



This fitting is suitable both for indoor and outdoor installation.  
Ideal to light façades, intrados, architectural details and buildings, thanks to the possibility to install them both on internal and external corners by means of a fastening kit.  
Light sources: 4 3W leds (white or blue); available also in red and amber (4x1W) and green (4x3W).  
Three combinable light beam configurations are available: blade, double blade and wall washer in white and blue, amber, green and red available on request.  
Die-cast aluminium system, painted in colour RAL9006.  
Cover made of thermosetting BMC, painted, standard colour RAL9006, on request white and cream.  
Power supply included.




# LED LITE 2

Cl. III IP67




max 0.35 Kg






### Accessories *Accesorios* *Acessórios*



Led lite kit  
**06LL901AB0**  
 Internal corners



Led lite kit  
**06LL902AB0**  
 External corners

### Available colours for covers





# LED LITE 2

I IP65


230V 50Hz



max 1.45 Kg

## Blades


<b>06LL201AB1</b>	LED 4 x 3W	700 mA	4 x 40 lm	●
<b>06LL201AB2</b>	LED 4 x 3W	700 mA	4 x 80 lm	
<b>06LL201AB3</b>	LED 4 x 3W	700 mA	4 x 30 lm	●



## Wall washer

### Blade


<b>06LL205AB1</b>	LED 4 x 3W	700 mA	4 x 40 lm	●
<b>06LL205AB2</b>	LED 4 x 3W	700 mA	4 x 80 lm	
<b>06LL205AB3</b>	LED 4 x 3W	700 mA	4 x 30 lm	●



## Wall washer

### Wall washer


<b>06LL203AB1</b>	LED 4 x 3W	700 mA	4 x 40 lm	●
<b>06LL203AB2</b>	LED 4 x 3W	700 mA	4 x 80 lm	
<b>06LL203AB3</b>	LED 4 x 3W	700 mA	4 x 30 lm	●



## Double-blades

### Blade


<b>06LL204AB1</b>	LED 4 x 3W	700 mA	4 x 40 lm	●
<b>06LL204AB2</b>	LED 4 x 3W	700 mA	4 x 80 lm	
<b>06LL204AB3</b>	LED 4 x 3W	700 mA	4 x 30 lm	●



## Double-blades

### Double-blades


<b>06LL202AB1</b>	LED 4 x 3W	700 mA	4 x 40 lm	●
<b>06LL202AB2</b>	LED 4 x 3W	700 mA	4 x 80 lm	
<b>06LL202AB3</b>	LED 4 x 3W	700 mA	4 x 30 lm	●



## Wall washer

### Double-blades

<b>06LL206AB1</b>	LED 4 x 3W	700 mA	4 x 40 lm	●
<b>06LL206AB2</b>	LED 4 x 3W	700 mA	4 x 80 lm	
<b>06LL206AB3</b>	LED 4 x 3W	700 mA	4 x 30 lm	●




## Other Available led colours

amber	●	LED 4 x 1W	350 mA	4 x 42 lm
green	●	LED 4 x 3W	700 mA	4 x 80 lm
red	●	LED 4 x 1W	350 mA	4 x 44 lm

## Blades Lama Lâmina


## Double-blades

## Wall washer




H (m)	Ø (m)	lux
5	0.35	35
4	0.28	55
3	0.21	97
2	0.14	219
1	0.07	876

Ref. 4 x 40 lm




H (m)	Ø (m)	lux
5	2.05	21
4	1.64	33
3	1.23	58
2	0.82	131
1	0.41	524

Ref. 4 x 40 lm



H (m)	Ø (m)	lux
5	1.71	8
4	1.37	12
3	1.03	21
2	0.68	47
1	0.34	189



This fitting is suitable both for indoor and outdoor installation.

Ideal to light façades, intrados, architectural details and buildings.

Light sources: 6 3W leds (white or blue); available also in red and amber (6x1W) and green (6x3W).

Three combinable light beam configurations are available: blade, double blade and wall washer in white and blue, amber, green and red available on request.

Aluminium alloy system, painted in colour RAL9006.

Cover made of thermosetting BMC, painted, standard colour RAL9006, on request white and cream.

Power supply included.

# LED LITE 3




Cl. I IP65

230V 50Hz



max 2.25 Kg





**Available colours for covers**



# LED LITE 3

Cl. I IP65


230V 50Hz



max 2.25 Kg


## 3 Blades

<b>06LL301AB1</b>	LED 6 x 3W	700 mA	6 x 40 lm	
<b>06LL301AB2</b>	LED 6 x 3W	700 mA	6 x 80 lm	
<b>06LL301AB3</b>	LED 6 x 3W	700 mA	6 x 30 lm	




## 3 Double-blades

<b>06LL302AB1</b>	LED 6 x 3W	700 mA	6 x 40 lm	
<b>06LL302AB2</b>	LED 6 x 3W	700 mA	6 x 80 lm	
<b>06LL302AB3</b>	LED 6 x 3W	700 mA	6 x 30 lm	



## 3 Wall washer


<b>06LL303AB1</b>	LED 6 x 3W	700 mA	6 x 40 lm	
<b>06LL303AB2</b>	LED 6 x 3W	700 mA	6 x 80 lm	
<b>06LL303AB3</b>	LED 6 x 3W	700 mA	6 x 30 lm	



## Wall washer

### + 2 Blades


<b>06LL304AB1</b>	LED 6 x 3W	700 mA	6 x 40 lm	
<b>06LL304AB2</b>	LED 6 x 3W	700 mA	6 x 80 lm	
<b>06LL304AB3</b>	LED 6 x 3W	700 mA	6 x 30 lm	



Other Available led colours


amber		LED 6 x 1W	350 mA	6 x 42 lm
green		LED 6 x 3W	700 mA	6 x 80 lm
red		LED 6 x 1W	350 mA	6 x 44 lm

## Blades




Ref. 6 x 40 lm		
H (m)	Ø (m)	lux
5	0.35	35
4	0.28	55
3	0.21	97
2	0.14	219
1	0.07	876

## Double-blades



Ref. 6 x 40 lm		
H (m)	Ø (m)	lux
5	2.05	21
4	1.64	33
3	1.23	58
2	0.82	131
1	0.41	524

## Wall washer



Ref. 6 x 40 lm		
H (m)	Ø (m)	lux
5	1.71	8
4	1.37	12
3	1.03	21
2	0.68	47
1	0.34	189



This fitting is suitable both for indoor and outdoor installation.

Ideal to light walls, ceilings, porches, façades, and buildings.

Light sources: 8 3W leds (white or blue); available also in red and amber (8x1W) and green (8x3W).

Three combinable light beam configurations are available: blade, double blade and wall washer in white and blue, amber, green and red available on request.

Aluminium alloy system, painted in colour RAL9006.

Cover made of thermosetting BMC, painted, standard colour RAL9006, on request white and cream.

Power supply included.


# LED LITE 4




Cl. I IP65

230V 50Hz



max 2.5 Kg





**Available colours for covers**





# LED LITE 4

Cl. I IP65


230V 50Hz



max 2.5 Kg


## 4 Blades

<b>06LL401AB1</b>	LED 8 x 3W	700 mA	8 x 40 lm	
<b>06LL401AB2</b>	LED 8 x 3W	700 mA	8 x 80 lm	
<b>06LL401AB3</b>	LED 8 x 3W	700 mA	8 x 30 lm	




## 4 Double-blades

<b>06LL402AB1</b>	LED 8 x 3W	700 mA	8 x 40 lm	
<b>06LL402AB2</b>	LED 8 x 3W	700 mA	8 x 80 lm	
<b>06LL402AB3</b>	LED 8 x 3W	700 mA	8 x 30 lm	



## 4 Wall washer


<b>06LL403AB1</b>	LED 8 x 3W	700 mA	8 x 40 lm	
<b>06LL403AB2</b>	LED 8 x 3W	700 mA	8 x 80 lm	
<b>06LL403AB3</b>	LED 8 x 3W	700 mA	8 x 30 lm	



## 2 Blades


### + 2 Wall washer

<b>06LL404AB1</b>	LED 8 x 3W	700 mA	8 x 40 lm	
<b>06LL404AB2</b>	LED 8 x 3W	700 mA	8 x 80 lm	
<b>06LL404AB3</b>	LED 8 x 3W	700 mA	8 x 30 lm	



## 3 Blades


<b>06LL405AB1</b>	LED 6 x 3W	700 mA	6 x 40 lm	
<b>06LL405AB2</b>	LED 6 x 3W	700 mA	6 x 80 lm	
<b>06LL405AB3</b>	LED 6 x 3W	700 mA	6 x 30 lm	



Other Available led colours

amber		LED 8 x 1W	350 mA	8 x 42 lm
green		LED 8 x 3W	700 mA	8 x 80 lm
red		LED 8 x 1W	350 mA	8 x 44 lm


## Blades



Ref. 8 x 40 lm

H (m)	Ø (m)	lux
5	0.35	35
4	0.28	55
3	0.21	97
2	0.14	219
1	0.07	876


## Double-blades



Ref. 8 x 40 lm

H (m)	Ø (m)	lux
5	2.05	21
4	1.64	33
3	1.23	58
2	0.82	131
1	0.41	524

## Wall washer



Ref. 8 x 40 lm

H (m)	Ø (m)	lux
5	1.71	8
4	1.37	12
3	1.03	21
2	0.68	47
1	0.34	189



Suitable for decorative lighting of gardens, flowerbeds, routes, paths.

Main part of the system made of steel sheet, welded and galvanised.

Fastening system made of steel sheet, welded and galvanised.

Ground fastening by means of screws on cement base.

Painting: polyester powders, grey - RAL 9006.



Light source: 2 Led Lite modules (total 12W) with spot emission in white

Wiring box with IP67 protection degree.

It's equipped with double cable-gland for power supply-cable and LedLite connection cable.

# LED LITE JARDIN





# LED LITE JARDIN

Cl. I IP67

230V 50Hz





max 3 Kg

## 06LL601AB2

LED 2 x 2 x 3w

700mA

4 x 40 lm



H (m)	Ø (m)	lux
5	0.35	35
4	0.28	55
3	0.21	97
2	0.14	219
1	0.07	876

---



Highway  
COMPONENTS

Pride in Quality. Passion for Service.



Highway Components Limited  
Kirkby Parks Farm  
Selston  
Nottinghamshire  
NG16 6BG

---

[www.highwaycomponents.co.uk](http://www.highwaycomponents.co.uk)

[enquiries@highwaycomponents.co.uk](mailto:enquiries@highwaycomponents.co.uk)  
01773 431970